

## Claims:

1. A pharmaceutical composition comprising 5-[4-[2-(N-methyl-N-(2-pyridyl)amino)ethoxy]benzyl]thiazolidine-2,4-dione (hereinafter 'Compound (I)'), characterised in that the composition comprises 2 to 12 mg of Compound (I) in a pharmaceutically acceptable form and optionally a pharmaceutically acceptable carrier therefor.
2. A composition according to claim 1, which comprises 2 to 4mg of Compound (I) in a pharmaceutically acceptable form.
3. A composition according to claim 1, which comprises 4 to 8mg of Compound (I) in a pharmaceutically acceptable form.
4. A composition according to claim 1, which comprises 8 to 12 mg of Compound (I) in a pharmaceutically acceptable form.
5. A composition according to claim 1, which comprises 2 mg of Compound (I) in a pharmaceutically acceptable form.
6. A composition according to claim 1, which comprises 4 mg of Compound (I) in a pharmaceutically acceptable form.
7. A composition according to claim 1, which comprises 8 mg of Compound (I) in a pharmaceutically acceptable form.
8. A composition according to any one of claims 1 to 7, which comprises the maleate salt of Compound (I)
9. A process for preparing a pharmaceutical composition comprising 2 to 12 mg of Compound (I) in a pharmaceutically acceptable form, and a pharmaceutically acceptable carrier therefor, which process comprises admixing 2 to 12 mg of Compound (I) in a pharmaceutically acceptable form and the pharmaceutically acceptable carrier.

10. A process for preparing a pharmaceutical composition of Compound (I) in a pharmaceutically acceptable form and a pharmaceutically acceptable carrier, which process comprises:
  - (i) preparing a first composition comprising Compound (I) in a pharmaceutically acceptable form and a first pharmaceutically acceptable carrier;
  - (ii) admixing the first composition with a second pharmaceutically acceptable carrier to provide the required composition of Compound (I) and optionally thereafter formulating the composition produced into an administerable form.
11. A process according to claim 9 or claim 10, wherein the composition prepared is in unit dosage form.
12. A process according to claim 9 or claim 10, wherein the composition prepared is a tablet.
13. A composition for use as a first composition in a process according to claim 10, for preparing a unit dose of Compound (I) in a pharmaceutically acceptable form.
14. A composition comprising Compound (I) in a pharmaceutically acceptable form and optionally a pharmaceutically acceptable carrier, characterised in that the composition is a pharmaceutically acceptable, pre-administration composition.
15. A pre-administration composition according to claim 13, which is a concentrate of Compound (I) in a pharmaceutically acceptable form.
16. A composition comprising Compound (I) in a pharmaceutically acceptable form and a pharmaceutically acceptable carrier, characterised in that the composition is a concentrate of Compound (I) in a pharmaceutically acceptable form, adapted to be diluted so as to provide a composition for administration.
17. A composition according to any one of claims 13 to 16, which contains up to 50% by weight of Compound (I) in a pharmaceutically acceptable form.

18. A composition according to any one of claims 13 to 17, which contains an amount of Compound (I) in a pharmaceutically acceptable form in the range of from 5 to 20% by weight.
19. A composition according to any one of claims 13 to 18, which contains 5%, 10% or 15% by weight of Compound (I) in a pharmaceutically acceptable form.
20. A composition according to any one of claims 13 to 19, which contains Compound (I) in a pharmaceutically acceptable form, sodium starch glycollate, hydroxypropyl methylcellulose 2910, microcrystalline cellulose and lactose monohydrate.
21. A composition according to any one of claims 13 to 20, in granular form.